

Risk Assessment Template

As a facility provider, you should complete your own COVID-19 Risk Assessment and publish this to your users.

If you are not the facility provider, then you should consider which sections will apply to your clubs individual situation upon returning to play and complete a risk assessment based on your activity, including (but not limited to) people management and communication, hygiene and first aid. You may still wish to record that you have assessed facility risks through enquiries made with your facility provider.

We have provided an example risk assessment below, which is for illustrative purposes only, and includes some examples of things to consider. Consider how this will apply to each aspect of your operation and identify the controls you require to meet Government guidance regarding health, social distancing, and hygiene etc. Remember that you must review your other Health and Safety, and Safeguarding, risk assessments for other hazards such as fire, first aid etc.

	at are the ards?	Transmission of COVID-19		
Who might be harmed? Facility users, staff, volunteers, visitors and the		Facility users, staff, volunteers, visitors and the	ne wider community	
No	Controls requir	red	Action Taken by the Club	
Ped	ple Managemen	t and Communication		
	to ensure indiv those who show An assessment circulation and	of individuals before they arrive at the venue iduals displaying COVID-19 symptoms or uld be shielding do not travel or attend. of user numbers, space capacities, venue layout planning to maintain social distancing.	Guidance sent to visiting clubs and umpires in week before game including mention of need for self-screening and appropriate action. All Worfield players notified of need to self-screen before travelling home or away Carried out before opening of Pavilion on 4 th July. Furniture removed to reduce seating capacity. One-way system implemented to control the flow of people through the pavilion and bar area.	
	A plan for wher cricket activitie	re parents and players will sit whilst watching es.	Players will use pavilion patio. Pavilion will also be completely open across front due to bifold doors. Parents/supporters will be able to use the many benches around the ground and can shelter in pavilion if required. We have asked members and their families to bring their own seats where possible to assist with social distancing.	
	visitors are awa	mmunication so that all participants and are of the control measures in place and how ately to minimise the risk of transmission of	Appropriate social distancing, handwashing and sanitising signage in place Written guidance issued to Worfield players, members, umpires. Guidance also issued to visiting teams in the week before the game.	
		teer training to support the implementation the suitable training records.	All Bar Staff and Officers have been notified of plans. PPE (face masks) available to bar staff. Only bar staff can collect used glasses. A clean glass is used for every drink	

Assess ventilation in your building (natural and mechanical) and take appropriate measures to maximise ventilation and minimise risk of transmission. Assess the maximum occupancy of your rooms at 2m social distancing (or 1m with risk mitigation where 2m is not possible) and establish a suitable circulation system/one-way system. Use signage and floor markings to communicate this. Assess the arrangement of seating areas to maintain social distancing and minimise the risk of transmission. Seating has been rearranged to avoid face to face sitting in classing in the vicinity of the bar have been removed. See above.	oor to direct the
Assess the maximum occupancy of your rooms at 2m social distancing (or 1m with risk mitigation where 2m is not possible) and establish a suitable circulation system/one-way system. Use signage and floor markings to communicate this. Assess the arrangement of seating areas to maintain social distancing and minimise the risk of transmission. Assess the arrangement of seating areas to maintain social distancing and minimise the risk of transmission. Consider your wet weather plans and describe what actions A one way system is in place with appropriate signage and flow of people. In the event of rain, players are instructed to own vehicles. Spectators and officials can shelter in their own main room in the pavilion or the covered verandah area. Seating has been rearranged to avoid face to face sitting in classificant number of seats have been removed from the pavilion or the covered verandah area. Seating has been rearranged to avoid face to face sitting in classificant number of seats have been removed from the pavilion or the covered verandah area.	
distancing (or 1m with risk mitigation where 2m is not possible) and establish a suitable circulation system/one-way system. Use signage and floor markings to communicate this. Assess the arrangement of seating areas to maintain social distancing and minimise the risk of transmission. Seating has been rearranged to avoid face to face sitting in cl significant number of seats have been removed from the pavoccupancy. Seats in the vicinity of the bar have been removed Consider your wet weather plans and describe what actions See above.	
own vehicles. Spectators and officials can shelter in their own main room in the pavilion or the covered verandah area. Assess the arrangement of seating areas to maintain social distancing and minimise the risk of transmission. Seating has been rearranged to avoid face to face sitting in cl significant number of seats have been removed from the pavilion or the covered verandah area. Seating has been rearranged to avoid face to face sitting in cl significant number of seats have been removed from the pavilion or the covered verandah area. Seating has been rearranged to avoid face to face sitting in cl significant number of seats have been removed from the pavilion or the covered verandah area.	shelter in their
system. Use signage and floor markings to communicate this. Assess the arrangement of seating areas to maintain social distancing and minimise the risk of transmission. Seating has been rearranged to avoid face to face sitting in cl significant number of seats have been removed from the pavoccupancy. Seats in the vicinity of the bar have been remove Consider your wet weather plans and describe what actions main room in the pavilion or the covered verandah area. Seating has been rearranged to avoid face to face sitting in cl significant number of seats have been removed from the pavilion or the covered verandah area.	
Assess the arrangement of seating areas to maintain social distancing and minimise the risk of transmission. Seating has been rearranged to avoid face to face sitting in cl significant number of seats have been removed from the pavoccupancy. Seats in the vicinity of the bar have been removed See above.	n vehicles or the
distancing and minimise the risk of transmission. significant number of seats have been removed from the pay occupancy. Seats in the vicinity of the bar have been removed. Consider your wet weather plans and describe what actions. See above.	
occupancy. Seats in the vicinity of the bar have been remove Consider your wet weather plans and describe what actions See above.	ose proximity. A
Consider your wet weather plans and describe what actions See above.	ilion to reduce
	d
you will take to maintain social distancing in wet weather.	

Plan to solicit and maintain records of your member	Everyone attending the premises is asked to sign in and provide their name
attendance, customers and visitors - to be maintained for 21	and a telephone number for contract tracing purposes. Members sign in - al
days and then destroyed.	members contact details are on file.
Identification of suitable areas for outdoor service that don't overlap with cricket activity.	No outdoor service
Steps taken to minimise time and the number of people at the bar.	Bar stools near bar have been removed. Social distancing Signage in place.
Steps taken to minimise contact points at payment or	Contactless payment is encouraged. Use of sanitiser encouraged before
around the hospitality space.	entering and after leaving toilets. Sanitiser is available on the bar.
Suitable PPE provision and training for staff and volunteers.	PPE is available for staff if and when required including BS compliant gloves and surgical masks. Sanitiser behind the bar for exclusive use of bar staff. St have been advised on how to use the PPE.
Strategy for the safe serving, clearing and cleaning of glassware and tableware.	Staff trained – only they will collect glasses. Glasses to be picked up at base rather than by the rim. New glass for every drink. Tables cleaned and sanitis before every session. Beer mats are not used. Glasswasher set on hot.
Deep cleaning strategy to minimise COVID-19 transmission risk	Whole of premises was deep cleaned before 4 July opening. Deep clean one per week.
Daily cleaning strategy to minimise COVID-19 transmission risk.	Club cleaned in morning everyday it is open. New cleaning regime put in pla - 4 times a week i.e. every day before use including full sanitising and disinfecting of toilets, tables and all touch points.
High-frequency touchpoint cleaning strategy to minimise COVID-19 transmission risk and how you will keep records.	Hourly cleaning of door handles and push points

		aff for effective cleaning.
available in to	In place in all toilets and behind bar. Disposable towels are availab Electronic hand dryers have been turned off.	rovision of hand washing facilities with warm water, soap, isposable towels and bin.
•	New automatic dispensers installed outside men's and women's to 4 July. Sanitisers also positioned on bar and at patio entrance.	rovision of suitable hand sanitiser in locations around the cility to maintain frequent hand sanitisation.
very six overs f	Hand sanitiser is provided on benches around the boundary for the players and match officials. Wipes brought onto the field every six cleaning of ball. Stumps and bails sanitised prior to start of play arbreak between innings.	rovision of suitable wipes and hand sanitiser on the field for ygiene breaks.
very six over	players and match officials. Wipes brought onto the field every six cleaning of ball. Stumps and bails sanitised prior to start of play ar	

Consider the risk of Legionnaire's disease and carry out necessary work to make your water supply safe for users. Refer to the specific guidance in the document above. Check that routine maintenance has not been missed and certification is up to date (e.g. Gas safety, Electrical Safety and Portable Appliance Testing, Fire Safety, Lifts and Heating – Ventilation and Air Conditioning). Check that your ground is ready and safe to play. Look at All taps have been run for period of 15 minutes. Plumber attended the Constant of the Constan	Controls required Paring Your Buildings Consider the risk of Legionnaire's disease and carry out necessary work to make your water supply safe for users. Refer to the specific guidance in the document above. Check that routine maintenance has not been missed and certification is up to date (e.g. Gas safety, Electrical Safety and Portable Appliance Testing, Fire Safety, Lifts and Heating – Ventilation and Air Conditioning). Check that your ground is ready and safe to play. Look at what work is required and how this can be done safely at a Action Taken by the Club 08/07/20. All taps have been run for period of 15 minutes. Plumber attended the Club 08/07/20. Club has been maintained regularly throughout lockdown. A qualified electrician is a member of General Committee and carries out all necessary testing as required. 2 ground staff continued work through lockdown undertaking all tasks including grass cutting, fertilising, strimming and weed killing. A dead tree in the Club 08/07/20.	hazards?	
Consider the risk of Legionnaire's disease and carry out necessary work to make your water supply safe for users. Refer to the specific guidance in the document above. Check that routine maintenance has not been missed and certification is up to date (e.g. Gas safety, Electrical Safety and Portable Appliance Testing, Fire Safety, Lifts and Heating – Ventilation and Air Conditioning). Check that your ground is ready and safe to play. Look at All taps have been run for period of 15 minutes. Plumber attended the Condition	Consider the risk of Legionnaire's disease and carry out necessary work to make your water supply safe for users. Refer to the specific guidance in the document above. Check that routine maintenance has not been missed and certification is up to date (e.g. Gas safety, Electrical Safety and Portable Appliance Testing, Fire Safety, Lifts and Heating – Ventilation and Air Conditioning). Check that your ground is ready and safe to play. Look at what work is required and how this can be done safely at a social distance. All taps have been run for period of 15 minutes. Plumber attended the Club 08/07/20. Club has been maintained regularly throughout lockdown. A qualified electrician is a member of General Committee and carries out all necessary testing as required. 2 ground staff continued work through lockdown undertaking all tasks including grass cutting, fertilising, strimming and weed killing. A dead tree i adjacent field that was deemed a potential hazard when ball being collecte		itors
Consider the risk of Legionnaire's disease and carry out necessary work to make your water supply safe for users. Refer to the specific guidance in the document above. Check that routine maintenance has not been missed and certification is up to date (e.g. Gas safety, Electrical Safety and Portable Appliance Testing, Fire Safety, Lifts and Heating – Ventilation and Air Conditioning). Check that your ground is ready and safe to play. Look at All taps have been run for period of 15 minutes. Plumber attended the Constant of the Constan	Consider the risk of Legionnaire's disease and carry out necessary work to make your water supply safe for users. Refer to the specific guidance in the document above. Check that routine maintenance has not been missed and certification is up to date (e.g. Gas safety, Electrical Safety and Portable Appliance Testing, Fire Safety, Lifts and Heating – Ventilation and Air Conditioning). Check that your ground is ready and safe to play. Look at what work is required and how this can be done safely at a social distance. All taps have been run for period of 15 minutes. Plumber attended the Club 08/07/20. Club has been maintained regularly throughout lockdown. A qualified electrician is a member of General Committee and carries out all necessary testing as required. 2 ground staff continued work through lockdown undertaking all tasks including grass cutting, fertilising, strimming and weed killing. A dead tree i adjacent field that was deemed a potential hazard when ball being collecte	Controls required	Action Taken by the Club
necessary work to make your water supply safe for users. Refer to the specific guidance in the document above. Check that routine maintenance has not been missed and certification is up to date (e.g. Gas safety, Electrical Safety and Portable Appliance Testing, Fire Safety, Lifts and Heating – Ventilation and Air Conditioning). Check that your ground is ready and safe to play. Look at 08/07/20. Club has been maintained regularly throughout lockdown. A qualified electrician is a member of General Committee and carries out all necessary testing as required. 2 ground staff continued work through lockdown undertaking all tasks	necessary work to make your water supply safe for users. Refer to the specific guidance in the document above. Check that routine maintenance has not been missed and certification is up to date (e.g. Gas safety, Electrical Safety and Portable Appliance Testing, Fire Safety, Lifts and Heating – Ventilation and Air Conditioning). Check that your ground is ready and safe to play. Look at what work is required and how this can be done safely at a social distance. 08/07/20. Club has been maintained regularly throughout lockdown. A qualified electrician is a member of General Committee and carries out all necessary testing as required. 2 ground staff continued work through lockdown undertaking all tasks including grass cutting, fertilising, strimming and weed killing. A dead tree i adjacent field that was deemed a potential hazard when ball being collecte	eparing Your Buildings	
certification is up to date (e.g. Gas safety, Electrical Safety and Portable Appliance Testing, Fire Safety, Lifts and Heating – Ventilation and Air Conditioning). Check that your ground is ready and safe to play. Look at electrician is a member of General Committee and carries out all necessate testing as required. 2 ground staff continued work through lockdown undertaking all tasks	certification is up to date (e.g. Gas safety, Electrical Safety and Portable Appliance Testing, Fire Safety, Lifts and Heating – Ventilation and Air Conditioning). Check that your ground is ready and safe to play. Look at what work is required and how this can be done safely at a social distance. electrician is a member of General Committee and carries out all necessary testing as required. 2 ground staff continued work through lockdown undertaking all tasks including grass cutting, fertilising, strimming and weed killing. A dead tree i adjacent field that was deemed a potential hazard when ball being collecte	necessary work to make your water supply safe for user	·
	what work is required and how this can be done safely at a social distance. including grass cutting, fertilising, strimming and weed killing. A dead tree i adjacent field that was deemed a potential hazard when ball being collecte	certification is up to date (e.g. Gas safety, Electrical Safe and Portable Appliance Testing, Fire Safety, Lifts and He	electrician is a member of General Committee and carries out all necessary
social distance. adjacent field that was deemed a potential hazard when ball being collection		what work is required and how this can be done safely	at a including grass cutting, fertilising, strimming and weed killing. A dead tree in adjacent field that was deemed a potential hazard when ball being collected

Controls requir	and and an	Action Taken by the Club
t Aid	eu	Action Taken by the Club
	r first aid kits are stocked and accessible ity.	First Aid kit checked and fully stocked including provision of disposable glount is stored in the kitchen. Signage to this effect is in place
	ve you taken to improve your first aiders' of first aid provision under COVID-19?	All first aiders have been issued with instructions in accordance with the advice published by St Johns Ambulance for providing assistance during the pandemic.
	AED then check that it is in working order, date and that it is available during all activity.	Due to be installed in July/August

harmed?		
Controls required	Action Taken by the Club	
paring your Grounds		
Safety checks on machinery, sightscreens and covers.	Ground checked. Scorebox repairs carried out and painted. All machinery us has been fully serviced and maintained. A former Officer is specialist.	
Check and repair of any damage to pitches and outfields.	All checked and ready for play	
Surfaces checked and watering regime adjusted based on lack of rainfall.	Square has timed irrigation system which was used during hot weather	
What are the hazards? Risk of Covid transmission due to numbers u	using toilets	
	using toilets	
hazards? Who might be All members and visitors	Action Taken by the Club	
hazards? Who might be harmed? All members and visitors		

What are	the
hazards?	

Risk of Covid transmission due to use of changing rooms and showers

Who might be harmed? Visiting and home players, umpires	
Controls required	Action Taken by the Club
Deep cleaning of changing rooms	Carried out in early July. Regular cleaning will take place.
Instructions regarding use of changing rooms	Home and away changing rooms, including showers, have been taken out of use. All players, home and away have been notified. Players advised to arrive in kit ready to play.
Separate umpire changing facilities	Steps had been taken to provide exclusive and separate changing facilities for umpires in the Umpires Changing Room and the occasional changing room. These rooms have now been taken out of use and umpires are made aware